

STAR HALO series



Key to Product Finishes

AB	Antique Brass
AC	Antique Chrome
ACP	Antique Copper
ACR	Antique Cream
ACY	Asfour Crystal
AG	Alabaster Glass
AGD	Antique Gold
Al	Aged Iron
AL	Aluminium
AN	Antique Nickel
AS	Antique Silver
AY	Acrylic
В	Brass
ВС	Black Chrome
BE	Beige
BG	Bevelled Edge Glass
BK	Black
BL	Blue
BN	Brown
BR	Bronze
CG	Champagne Col. Glass
CH	Chocolate
CM	Ceramic
CP	Copper
CR	Cream
CY	Crystal Glass
EG	Etched Glass
FE	Metal
FG	Frosted Glass
FR	French Gold
GB	Gloss Blue
GC	Gloss Cream
GD	Gold
GL	Glass
GP	Gloss Pink
GR	Green
GW	Gloss White
GY	Grey
IVY	lvory
LW	Light Wood
MBR	Mottled Bronze

MC	Multi Coloured
ME	Marble Effect
MK	Mink
MR	Mirrored Glass
N	Nickel
NAT	Natural
NB	Natural Brass
NC	Natural Chrome
OP	Opal White Glass
P	Pewter
PB	Polished Brass
PBR	Pale Brass
PC	Polished Chrome
PCP	Petrol Copper
PN	Polished Nickel
PP	Purple
PT	Plaster
PU	Putty
QG	Quartz Glass
RD	Red
RDG	Reeded Glass
RE	Hand Cast Resin
RU	Rust
SB	Satin Brass
SC	Satin Chrome
SCG	Scavo Glass
SCP	Satin Copper
SGD	Soft Gold
SGR	Shamrock Green
SGL	Seeded Glass
SM	Smoked Glass
SS	Stainless Steel
SV	Silver
TGL	Textured Glass
TP	Taupe
	
	Verdigris
VG	Verdigris
VG WD	Wood
VG WD WG	Wood White Glass
VG WD	Wood

Note: hand applied finishes can vary from batch to batch

STAR HALO series 2018/19

Key to Product Abbreviations



Double Insulated



Earthed



Dual Mount



F Marked



Not suitable for mounting on flammable surfaces



Foot Switched



In Line Rocker Switched



Pull Cord Switched



Push Bar Switched



Rocker Switched Shaver Socket



Toggled Switched



Push Button Switched



In Line Dimmer Switched



Mouse Dimmer Switched



Inline Foot Dimmer Switched



Rotary Dimmer Switched



Height Adjustable at Point of Installation





Part C Compliant



Part E Compliant



Part 21 Compliant



Fire Rated Time



IP20



IP21



IP43



IP44



IP64



IP65



Touch Lamp

Introduction

VANGUARD

With an extensive experience and a commitment to innovation, VANGUARD aims to become a major manufacturer in China of LED lighting.

As one of qualified OEM&ODM factory of several famous brand from western countries now,VANGUARD is always designing and manufacturing excellent LED lighting products. At the same time, as a R&D oriented factory,VANGUARD is always focusing on innovative original design and technology, manufacturing and supplying high quality LED lighting products to lighting projects all over the world.


We pursuits excellent LED lighting with design elegance in technology fashion and environment friendly.VANGUARD persisted on combining LED technology and wonderful designs perfectly to create a brand new frontier to lighting industry.

KEY advantages

- Our team has more than 10 years professional export service for Europe and USA, well known of market demand.
- With endless leading designs for Europe and USA market.
 Professional Purchasing + Quality + Product cost control, assurance of quality and cost for mass goods.
- The leading OEM&ODM whole solution supplier for Europe and USA main customers.








STAR HALO series

3 steps' color temperature changeable

Pendant Lamp

- P5. SP9024-1+1A
- P5. SP9024-1R
- *P5*. SP9024-I+IB
- *P7*. SP9024-2
- P7. SP9024-3
- P7. SP9024-4
- P9. SP9024-3R
- P9. SP9024-5
- P9. SP9024-6R
- P11. SP9024-3+2
- PII. SP9024-3+3
- P11. SP9024-10R



SP9024-I+IA CH WH BK

Star halo 2lts Pendant D450mm + D250mm I x 36W + I x 18W max

▼ ± HÎA LED



SP9024-1R

CH WH BK

Star halo 11t Pendant D450*H1200mm I x 36W max











SP9024-I+IB

CH WH BK

Star halo 2lts Pendant D450 ring * D250 ring * H1200mm I x 36W + I x 18W max





STAR HALO Pendant lamp

Special edition.Pendant lamp. Acrylic and Aluminum structure. Acrylic diffuser with granule.

Feeding

AC220-240V 50/60Hz AC100-277V 50/60Hz

•Certifications of main components

C € RoHS 🔬 ເ∰us 🖎











SP9024-4



Star halo 4lts Pendant L450*W450*H1000mm 4 x 18W max











Special edition.Pendant lamp. Acrylic and Aluminum structure. Acrylic diffuser with granule.

Feeding

AC220-240V 50/60Hz AC100-277V 50/60Hz

•Certifications of main components

C € RoHS 🛕 ເ∰us 🖎



Star halo 3lts Pendant L815*D250 ring*H1200mm 3 x 18W max














SP9024-2

CH WH BK

Star halo 2lts Pendant D550 canopy * D250 ring * H1200mm 2 x 18W max









SP9024-5

CH WH BK

Star halo 5lts Pendant L1025*W100*H1500mm 5 x 18W max







SP9024-3R CH WH BK

Star halo 3lts Pendant D450 canopy * D250 ring * H1200mm 3 x 18W max









STAR HALO Pendant lamp

Special edition.Pendant lamp. Acrylic and Aluminum structure. Acrylic diffuser with granule.

Feeding

AC220-240V 50/60Hz AC100-277V 50/60Hz

•Certifications of main components

C € RoHS 🔬 ↓ Us SAA









SP9024-6R CH WH BK Star halo 6lts Pendant

D650 canopy * D250 ring * H1200mm 6 x 18W max














CH WH BK SP9024-3+3

Star halo 6lts Pendant L550*W230*H2500mm 3x36W + 3 x 18W max









SP9024-3+2



CH WH BK

Star halo 5lts Pendant L800*W305*H1200mm 2x36W + 3 x 18W max











Special edition.Pendant lamp. Acrylic and Aluminum structure. Acrylic diffuser with granule.

Feeding

AC220-240V 50/60Hz AC100-277V 50/60Hz

•Certifications of main components

C € RoHS 🔬 ເ∰us 🖎









SP9024-10R




CH WH BK

Star halo 10lts Pendant D700 canopy * D250 ring * H1200mm 10 x 18W max











STAR HALO series

VANGUARD products are designed and manufactured to keep customers satisfied, consequently please note the following:

- I.Due to the quality of our finishes, we recommend using a soft dry polish cloth for cleaning, avoiding the use of special cleaning products that could damage the finish.
- 2. VANGUARD reserves the right to change or modify any product illustrated in this catalogue in order to make the deemed improvements.
- 3. The height of our pendant lamps are adjustable.
- 4.All the dimensions are in millimeters.

ϵ

The CE applied mark certificates that the lighting fixture or components are in compliance with the standards required from the EN 60598-1 European regulations.

RoHS

Product is in compliance with the RoHS directive(Restriction of use of Hazardous Substancies).



The lighting fixture can be installed on normal flammable surfaces.



Unit realized in safety class I and provide with earth wire.



Unit realized in safety class II with double and reinforced insulation and hence not provided with earth wire.

IP20

Protection index against solids or liquids entrance.



Vanguard Lighting Co.,Ltd

+86 135 9070 4744

s info@vanguardlights.com

angel@vanguardlights.com

www.vanguardlights.com

#30,3rd Kanglong Road,Henglan Zhongshan,Guangdong,China